

## Health and Safety Evaluation Of School Buildings Checklist 2021-2022

CESTER	District Occupying Build	ing: GLASSBORO	
ased O	wned School Building Name: BOWE	ELEMENTARY	
CRAIG ST	EVENSON, RICHARD BOOTH	Date: 1/10/2022	
	ased O		Owned School Building Name: BOWE ELEMENTARY

This form shall be used for the evaluation of school buildings (pursuant to 6A:26-6.1 and 6A:26-8.1) Traditional Public School Districts (owned or leased), Private Schools for the Disabled, Charter Schools, Renaissance School Projects and any other setting used for instruction. This evaluation checklist shall be completed annually by appropriate district personnel and kept on file for inspection or other legal issues. These indicators cover regulations issued by NJDOE, NJDCA, NJUCC, OSHA. The emphasis of this evaluation is for the health and safety of students and staff even in the absence of a specific Statute or Code. The items listed are not mutually exclusive of other findings a monitor/inspector may site. See "Facility Checklist Instructions and Guidance" for additional information.

## Section A: 100% Items

(this section must have full compliance with items)

100% Compliance				A CONTRACTOR OF THE SERVE
Current Licenses and Certificates #1 to #10	Yes	No	N/A	Violation Location
<ol> <li>A current certificate of compliance with the Uniform Fire Code has been issued by the local or State fire official/inspector within the year and posted in a conspicuous location. (or current abatement inspection is available)</li> </ol>	<b>V</b>			
2. A current inspection report of the local health official (kitchen, cafeteria, pool, etc.) is available.	<b>V</b>			Lower his and the second
3. A 3 year asbestos management plan, as required by A.H.E.R.A., is available including current 6 month surveillance letters. If constructed without asbestos, a letter of certification from the architect is available.	<b>V</b>			
<ol> <li>An annual inspection report of the Department of Environmental Protection for the operation of a sewage treatment plant, where applicable, is available.</li> </ol>			<b>V</b>	
5. Current boiler inspection certificate(s) posted at site of boiler.	1			
<ol><li>Current license(s) for high and low pressure boiler operators, as required by code, are properly posted.</li></ol>	<b>/</b>			
7. Current drinking water supply inspection reports are available to comply with the Safe Water Drinking Act. (N.J.A.C 58:12A-1) (6A:26-12.4)Also, evidence of testing of water for lead has been provided by the district through annual submittal of the Lead Testing Statement of Assurance.	<b>✓</b>			

Current Licenses And Certificates #1 to #10	Yes	No	N/A	Violation Location
8. One fire drill and <i>one</i> school security drill are held each month; [See "Checklist Instructions" for Certificate of Assurance]18A:41-1				
<ol> <li>Right To Know requirements are properly posted and MSDS reporting materials on file for review.</li> </ol>	<b></b>			
10. District has defibrillators identified with appropriate signage and made available in an unlocked location on school property, which is accessible during the school day and any other time in which a school-sponsored athletic event or team practice, in which pupils of the district are participating, is taking place and is within reasonable proximity of the school athletic field or gymnasium, as applicable (Janet's Law18A:40-41a-41c)	<b>✓</b>			
Exits/Exterior #11 to #12  11. Exterior switches and receptacles are covered by securely fastened weather-proof plates and fixtures are securely mounted with no exposed wires.	Yes	No	N/A	Violation location
<ul> <li>12. All exterior exits are in good condition; readily accessible and free of obstructions for use in an emergency; including:</li> <li>a. Fire escapes and/or exterior stairs can be safely negotiated.</li> <li>b. Panic hardware is provided on exit doors of all spaces with an occupancy load/capacity greater than 50.</li> </ul>	<b>√</b>			
Annual Control of the Property of the Control of the Property of the Control of t	Yes	No	N/A	Violation Location
Interior #13 to #21  13. All electrical outlets; switches, receptacles and junction boxes; electric wires; fuses and/or circuit breaker panels; etc. are properly covered and/or secured and/or protected.	Yes	No	N/A	Violation Location
Interior #13 to #21  13. All electrical outlets; switches, receptacles and junction boxes; electric wires; fuses and/or circuit breaker panels; etc. are	Yes ✓	No	N/A	Violation Location
<ul> <li>Interior #13 to #21</li> <li>13. All electrical outlets; switches, receptacles and junction boxes; electric wires; fuses and/or circuit breaker panels; etc. are properly covered and/or secured and/or protected.</li> <li>14. Sufficient access and working space is provided and maintained around all electrical spaces. Items, especially combustibles, are a minimum of 36 inches from electrical power sources or equipment; i.e.: circuit breaker panels, fuse boxes, transformers.</li> <li>15. Instructional areas are free of all unapproved construction; e.g.: walls; partitions; doors and stairs; etc.</li> </ul>	Yes 🗸	No	N/A	Violation Location
Interior #13 to #21  13. All electrical outlets; switches, receptacles and junction boxes; electric wires; fuses and/or circuit breaker panels; etc. are properly covered and/or secured and/or protected.  14. Sufficient access and working space is provided and maintained around all electrical spaces. Items, especially combustibles, are a minimum of 36 inches from electrical power sources or equipment; i.e.: circuit breaker panels, fuse boxes, transformers.  15. Instructional areas are free of all unapproved construction;	Yes 🗸	No	N/A	Violation Location
<ul> <li>Interior #13 to #21</li> <li>13. All electrical outlets; switches, receptacles and junction boxes; electric wires; fuses and/or circuit breaker panels; etc. are properly covered and/or secured and/or protected.</li> <li>14. Sufficient access and working space is provided and maintained around all electrical spaces. Items, especially combustibles, are a minimum of 36 inches from electrical power sources or equipment; i.e.: circuit breaker panels, fuse boxes, transformers.</li> <li>15. Instructional areas are free of all unapproved construction; e.g.: walls; partitions; doors and stairs; etc.</li> <li>16. The hardware on doors of any space occupied by students shall permit egress from the room at all times. Key-operated locks, thumb-turn locks, hasps dead bolts, slide bolts or similar</li> </ul>	Yes   ✓	No No	N/A	Violation Location
<ol> <li>Interior #13 to #21</li> <li>All electrical outlets; switches, receptacles and junction boxes; electric wires; fuses and/or circuit breaker panels; etc. are properly covered and/or secured and/or protected.</li> <li>Sufficient access and working space is provided and maintained around all electrical spaces. Items, especially combustibles, are a minimum of 36 inches from electrical power sources or equipment; i.e.: circuit breaker panels, fuse boxes, transformers.</li> <li>Instructional areas are free of all unapproved construction; e.g.: walls; partitions; doors and stairs; etc.</li> <li>The hardware on doors of any space occupied by students shall permit egress from the room at all times. Key-operated locks, thumb-turn locks, hasps dead bolts, slide bolts or similar types of locking devices shall not be permitted. 6A:26-8.1 (i2)</li> <li>Unobstructed vision panels with code approved glass are installed in doors opening into corridors. Interior glazing shall</li> </ol>	Yes	No No	N/A	Violation Location

11	tari	or #13 to #21	4			
-			Yes	No	N/A	Violation Location
20	U. D	angerous chemicals (i.e., liquefied petroleum gas/propane)			1	
	ai	nd/or explosive materials (i.e.: gunpowder; picric acid) are			V	1
1	n	ot stored/present in the building. If needed, flammable and				
	CC	ombustible materials are properly stored/maintained (i.e., in		1		
	pı	operly rated cabinets; not in boiler room/hazardous areas).				
-						
Z.		arbon Monoxide Detectors (new)				
	M	ust be in the vicinity of all fuel burning appliances.	V			
		<ul> <li>Gas and oil heating systems: Boilers, Furnaces,</li> </ul>				1
		central and unitary equipment.				
		Generators: portable and permanent.				
		Natural gas and propane appliances: Water heaters,		1		
		ranges stoves even level devices. Water fleaters,				1
		ranges, stoves, ovens, laundry washers and dryers		1		1
		• Fireplaces				
		<ul> <li>Required in hallways connected to space with the</li> </ul>				
		source				
NI	AC :	5:70-4.3(a), NJAC 5:70-4.9(d) and NJAC 5:70-4.19 (d)				
_						
		onal/Laboratories #22 to #25	Yes	No	N/A	Violation Location
22	. Po	wer machinery and equipment, as well as science labs, have				
	ар	propriate safety features in place, including as applicable:				
	a.	Appropriate placement on the floor and required point of				
		operation guards to protect users from injury due to				
		moving parts.		1	1	
	b.	Clearly visible and accessible push-type emergency cut-out				
		switches at appropriate locations within shops to de-				
		energize electrical supply to nonportable machinery.				
	c.	Non-portable machinery provided with magnetic type				
		switches to provent automatic restart was a restart in		1		
		switches to prevent automatic restart upon restoration of		1	9	
		power after an electrical failure or reactivation of the			1	
		emergency cut-off switch.			1	
	d.	Key-operated electric solenoid shut-off valves on natural				
		gas lines in science laboratories and shops constructed				
		after 1979. On all other gas lines there is an emergency				
		shut off valve which is clearly marked and accessible.				
23	Λt			_		
25,	inc	a minimum, one # 20 BC rated fire extinguisher is provided				
		each laboratory and vocational area.				
24.	Ade	equate eye and body protection is provided, including:		<u> </u>		
	a.	Eye protection devices (glasses, goggles) for students and				
		faculty in each laboratory and shop area, including			1	
		appropriate provision for their sanitation.				
	b.	Emergency eyewash device(s), with 15 minutes continuous				
		flow, where caustic or corrosive materials are used.				
	c.	An emergency cold-water shower for chemistry laboratory				
		if constructed after October 1985.		6		8
		(NJAC 6A:26-12.5)				
			l l		1	1

Vocational/Laboratories #22 to #25	Yes	No	N/A	Violation Location
<ul> <li>25. Room provides for proper local or general ventilation and/or exhaustion of toxic and/or dangerous fumes and/or odors, including for the following activities, as applicable: <ul> <li>a. For science activities (i.e.: via fume hoods)</li> <li>b. For welding operations</li> <li>c. For paint spraying operations: <ul> <li>1 Auto: should have separate exhaust system.</li> <li>2 Art: proper ventilation for spray/ paint with fumes</li> </ul> </li> <li>d. Art: Safe designated space/room for kilns with proper ventilation</li> <li>e. For dust generating operations, such as wood working, (i.e.: a dust collecting system which should be either single or multi-use vacuum packs or a central dust collection</li> </ul> </li> </ul>			<b>✓</b>	
system	Yes	No	N/A	
		140		
100% Items Total	17		8	

End 100% Item Section

Space for Notes:		
	*	
		23

Section B: 80% Items continued on next page...

## Section B: 80% Items

(Must be compliant with 80% of these items to pass along with corrective action on the non compliant items)

20.07 0.00		ompliance					daya 開始與其中的基本企業自然無
_		xterior #1 to #4	Yes		No	N/A	Violation Location
1.	Exa a.	evidence of major exterior building structural damage.  ample(s) would include:  Exterior walls appear free of structural cracks, loose masonry and crumbling parapets; lintels appear free of rust and flaking.  Gutters and downspouts appear to be in good condition and are secured to the building; runoff does not appear to be obstructed or create drainage or soil erosion.	✓				
_							
2.	COC	exterior receptacles are GFI protected in accordance with le.	V				
3.	ath oth of h incl safe pro	school grounds, including general purpose play areas and letic fields, are free of holes; glass; stumps, roots; rocks and er hazardous obstacles. Fences are maintained and are free noles. The outside physical education area for students shall ude, but not be limited to, sufficient space, equipment, and e surfaces for the temporary facility enrollment and gram needs and be protected from hazards or traffic ditions. 6A:26-8.1ix	<b>√</b>		¥		
4.	con doc	/ground area and equipment appear to be in safe operating dition and in compliance with code and district maintains umentation of compliance and regular (annual and/or nthly) inspections.	<b>√</b>				
Inte	THE PERSON NAMED IN COLUMN	Items #5 to #26	Yes	Ï	No	N/A	Violation Location
5.	acce	nterior exits and corridors are in good condition; readily essible; and free of obstructions and/or excessive materials ch would hinder exiting.	<b>/</b>				Projection Education
6.	Eme visib	ergency evacuation egress procedures are posted at a alle height and standard location in all areas. 6A:26-8.1 (i4)	<b>V</b>				
7.	Doo an E	rs leading to interior courtyards are clearly marked: "Not xit."	1				
	inter caus do n	drails on both sides of interior stairways, guardrails, and rior stair treads are free of surface features which may e injury and/or are properly secured. Interior stair treads ot show evidence of extensive wear and are generally in a repair.	- W 11%			<b>√</b>	
	and o	e curtains need to indicate flame proof or flame retardant certificates are on file.				$\checkmark$	
	devis	ducation spaces shall be equipped with a communication se/system connected to the main office and capable of rgency communication to local authorities or 9-1-1. 6A:26-6).				4	

Interior Items #5 to #26	Yes	No	N/A	Violation Location
<ol> <li>Electric outlets and/or wiring appear appropriate, including:         <ul> <li>GFI protection for receptacle(s) within 6 ft of water in accordance with code.</li> <li>Electrical extension cords and surge protectors used appropriately, with extension cords only used for temporary need(s).</li> <li>Sufficient electrical duplex outlets shall be provided to satisfy the program needs as provided in N.J.A.C. 6A:26-6.3 6A:26-8.1(vii2).</li> </ul> </li> </ol>	<b>✓</b>			
12. Nurse's Office: District boards of education shall provide the necessary facilities, equipment and supplies for the performance of the duties required under State law and the rules by health services personnel. (6A:26-12.3 & 6A:26-6.3(b))	<b>✓</b>			
13. Individual or central mechanical ventilation unit(s) are operating in all student and staff occupied rooms/areas and toilet facilities; air conditioners are operational in windowless interior areas. Heating and ventilation requirements shall be as set forth in N.J.A.C. 6A:26-6.3 and the UCC. 6A:26-8.1 (iii).		<b>✓</b>		
14. Lighting levels in all instructional areas at least 50 foot candles, as measured with a light meter, comply with code and lamps/bulbs are covered with a lens cover or equivalent protection. (6A:26-8.1(vi) & 6A:6.3(g)(1))	<b>✓</b>			
15. Instructional areas have no unauthorized and/or potentially hazardous materials/equipment in rooms. 6A:26-8.1 (i1)	V			
16. A chalkboard or whiteboard, and/or display board is provided in each instructional space and is free of cracks and jagged edges. 6A:26-8.1 (vii1)	<b>√</b>			
17. Ceilings, walls and floors are free of holes, sags, and evidence of water damage. The average ceiling height shall be at least 8' feet for instructional spaces in temporary facilities in an existing public school, in a district owned facility and in rented or leased buildings not on school district owned sites. 6A:26-8.1 (ii)		1		
18. Area and floor drains, where provided, appear to be in working order and covered with appropriate plates; unused (abandoned) waste lines (drains) are sealed off and capped.	<b>√</b>			
19. Floors throughout the school are clean and free of trash, as well as appear free of slipping, tripping and / or other hazards. Egress through halls and exits are clear and accessible.	<b>√</b>			
<ul> <li>20. Supplies and materials are neatly and appropriately stored:</li> <li>a. Storage racks/shelving over 6 feet in height are properly secured from tipping.</li> <li>b. In general, there is no storage within 24 inches of a ceiling. In buildings with sprinkler systems, storage is at least a minimum of 18 inches below sprinkler head deflectors.</li> <li>c. Storage is organized to allow safe access through space.</li> </ul>	<b>√</b>			

Page 6 of 9 Revised July 2021

Interior Items #5 to #26	Yes	No	N/A	Violation Location
21. Provision shall be made for storage of students' clothing in other than a corridor or exitway. Student lockers are usable; i.e.: doors, handles and locks are operable. 6A:26-8.1 (i7)	V			VIOLATION ESCAÇION
22. Drinking fountains are provided with sufficient water pressure or access to water coolers is readily available. (6A:26-12.4) Potable water shall be available and drinking fountains shall be provided for students in cafeterias, preschool and kindergarten programs in accordance with N.J.A.C. 5:23-7; 6A:26-8.1(v).	<b>√</b>			
23. Toilet facilities shall meet existing UCC requirements for the E Use Group as determined by the construction official. Toilet facilities shall be available within a reasonable distance not more than one floor away, and shall be equipped with an exterior operable window sash or mechanical exhaust ventilation. 6A:26-8.1 (iv)	✓			
<b>24.</b> Food and nonfood items (i.e.: cleaning products, etc.) in home economics rooms & cafeteria are stored separately.	<b>V</b>			
25. Non-instructional areas are free of all unapproved construction; e.g.: walls, partitions, doors and stairs.	<b>V</b>			
26. Furniture and equipment that is in good condition and suitable for the age and size of the students and purposes of instruction shall be provided; NJAC 6A:26-8.1(vii)	<b>√</b>			
Vocational/Laboratories #27 to #34	Yes	No	N/A	Violation Location
27. Corrosives, toxic and other hazardous substances are stored in proper corrosive storage cabinets and are properly labeled.			V	]
28. Required space is available for the safe operation of machinery.			<b>V</b>	
29. Mechanical and hydraulic automotive lifts have locking devices to hold them in the extended (open) position.			<b>V</b>	
30. Floor(s) and aisles in all shops are free of slipping and tripping hazards.			1	
31. "Eye Hazard Area- Wear Your Eye Protection" signs are posted.			1	
<ul> <li>32. The following additional safety measures are in place if welding operations are on-going:</li> <li>a. Welding curtains are provided and are painted with a finish of low reflectivity.</li> <li>b. Personal protective equipment (goggles, aprons, etc.) are provided.</li> </ul>			<b>✓</b>	
33. Pressurized gas cylinders are secured (chain and eye hooks to welding cart, etc.) and valve protection caps are in place.	<b>√</b>			Nurse's oxygen
34. Oxygen cylinders in storage are separated from fuel gas cylinders (acetylene) or combustible materials a minimum distance of 20 feet.	1			Nurse' oxygen

	Yes	No	N/A
80% Items Total	23	3	8

End 80% Item Section

pace for No	tes:		 	
Ī				

Building Scoring continued on next page...



## Facility Score 2021-2022

	Scc	100% Section A	on A 80% Section B		
Maximum # o	of Complia	25	34		
100% Section A Compliance	Score	NJQSAC FISCAL	DPR [All items are in co	mpliance in building(s)]	
# of <b>No</b> responses in section A	0		ant (No Exceptions) empliant (Corrective Actio	on Needed)	
80% Section B Compliance	Score	NJQSAC DPR [At least 80% of	fitems are in compliance	in building(s)]	
A. Number of <b>Yes</b> responses	23				
B. Number of <b>No</b> responses	2	Compliant	Line (A) is equal to or great	er than Line (D)	
C. Subtotal [A + B ]	25				
D. Multiply [(C) × 80%]	20	Non-Compl	lant Line (A) is less than Lin	ne (D)	
	LEA A	ssurance Sign	natures		
School Facility Name  Completed By  if applicable, Certified Educational Fa	cilities Mange	Phr. pr	110/2022 ate	1/10/22 Date / 10/22	
Chief School Administrator			ate		